

# ORIGINAL - METAL BASE P21W

Original spare part



## The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.

# Product datasheet

## Technical data

### Product information

Order reference	7511
Application (Category and Product specific)	Auxiliary lamp


### Electrical data

Power input	28 W
Nominal voltage	24.0 V
Nominal wattage	21.00 W
Power input tolerance	±6 %
Test voltage	28.0 V

### Photometrical data

Luminous flux	460 lm
Luminous flux tolerance	±15 %

### Dimensions & weight



Length	52.5 mm
Diameter	26.5 mm
Product weight	7.90 g

### Lifespan

Lifespan B3	200 h
Lifespan Tc	400 h

### Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	P21W
--------------	------

### Country specific categorizations

Order reference	7511
-----------------	------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	01-04-2022
Primary Article Identifier	4050300838090   4050300925929   4008321616050   4008321618801   4052899178427   4052899203310   4052899203273   4052899327696   4052899583740   4062172072380   4062172226561   4062172285414   4062172285391   4062172302999
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300838090	OSRA7511	-	4739921	-
4050300525228	OSRA7511	-	4739921	-
4050300838090	OSRA7511	-	4739921	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838090	ORIGINAL - METAL BASE P21W	Unpacked 1	25 mm x 25 mm x 53 mm	0.03 dm <sup>3</sup>	9.00 g
4050300525228	ORIGINAL - METAL BASE P21W	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm <sup>3</sup>	113.00 g
4008321090980	ORIGINAL - METAL BASE P21W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	615.00 g
4050300925929	ORIGINAL - METAL BASE P21W	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm <sup>3</sup>	23.00 g

## Product datasheet

4008321140500	ORIGINAL - METAL BASE P21W	Shipping carton box 20	280 mm x 104 mm x 81 mm	2.36 dm <sup>3</sup>	286.00 g
---------------	-------------------------------	---------------------------	----------------------------	----------------------	----------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM