

ORIGINAL - FESTOON -

Original spare part



The cost-effective original spare parts

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for a wide range of festoon lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Product datasheet

Technical data

Product information

Order reference	6413
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	5 W
Nominal voltage	12.0 V
Nominal wattage	5.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	45 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	11.0 mm
Product weight	3.02 g
Length	41.0 mm

Lifespan

Lifespan B3	1000 h
Lifespan Tc	2000 h

Additional product data

Base (standard designation)	SV8.5-8
-----------------------------	---------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	6413
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	11-04-2022
Primary Article Identifier	4050300891439
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300891439	OSRA6413	-	-	-
4050300891446	OSRA6413	-	-	-
4050300891439	OSRA6413	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891439	ORIGINAL FESTOON 6413	Unpacked 1	- x - x -		
4050300891446	ORIGINAL FESTOON 6413	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm ³	52.20 g
4008321093752	ORIGINAL FESTOON 6413	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	311.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Product datasheet

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM