OSRAM

CLASSIC H3

Technical data

Product information

Order reference	64156 70W 24V P
-----------------	-----------------


Electrical data

Nominal voltage	24.0 V
Nominal wattage	70.00 W
Test voltage	28.0 V

Photometrical data

Color temperature	3200 K

Dimensions & weight



Length	42.0 mm
Diameter	12.0 mm
Product weight	6.90 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	650 h

Additional product data

Base (standard designation)	PK22s
-----------------------------	-------

Capabilities

Technology	Halogen lamp
------------	--------------

Certificates & standards

ECE category	H3

Country specific categorizations

Order reference	64156 70W 24V P

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					
Date of Declaration 01-04-2022					
Primary Article Identifier	4050300016535 4008321773968 4008321775627 4062172130905 4062172159463				
Candidate List Substance 1	No declarable substances contained				
Declaration No. in SCIP database	In work				

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300016535	OSRA64156	8328042	4739963	-
4050300211237	OSRA64156	8328042	4739963	-
4050300016535	OSRA64156	8328042	4739963	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300016535		Folding carton box 1	- x - x -		
4050300211237		Bundle 10	82 mm x 56 mm x 102 mm	0.47 dm³	88.80 g
4050300211244		Shipping carton box 100	361 mm x 109 mm x 122 mm	4.80 dm ³	983.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaime

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM

Product datasheet | CLASSIC © 2022, OSRAM GmbH. All rights reserved.